

- Contents -

1. Cautions for Installation
2. Cautions for Removal
3. Changes in the Service Pack
4. Cautions for Use

- High Safety Required Use -

This Product is designed, developed and manufactured as contemplated for general use, including without limitation, general office use, personal use, household use, and ordinary industrial use, but is NOT designed, developed and manufactured as contemplated for use accompanying fatal risks or dangers that, unless extremely high safety is secured, could lead directly to death, personal injury, severe physical damage or other loss (hereinafter "High Safety Required Use"), including without limitation, nuclear reaction control in nuclear facility, aircraft flight control, air traffic control, mass transport control, medical life support system, missile launch control in weapon system.

If user does not perform secure measures required in assuring High Safety Required Use, user shall NOT use this software. PFU Limited and related companies accept no claims from customers and third parties in relation to, and accept no responsibility for any losses incurred as a result of, the use of this software for High Safety Required Use.

1. Cautions for Installation

- =====
- * The following languages are supported for this product.
English, French, German, Italian, Spanish, Russian, Portuguese,
Chinese (simplified), Chinese (traditional), Korean, Japanese
 - * This product is designed to work on following operating systems.
Windows(R) 2000 Professional (Service Pack 4 or later)
Windows(R) XP Professional (32-bit version only)
Windows(R) XP Home Edition
Windows Vista(R) Home Basic (32-bit and 64-bit versions)
Windows Vista(R) Home Premium (32-bit and 64-bit versions)
Windows Vista(R) Business (32-bit and 64-bit versions)
Windows Vista(R) Enterprise (32-bit and 64-bit versions)
Windows Vista(R) Ultimate (32-bit and 64-bit versions)
Windows(R) 7 Starter (32-bit version)
Windows(R) 7 Home Premium (32-bit and 64-bit versions)
Windows(R) 7 Professional (32-bit and 64-bit versions)
Windows(R) 7 Enterprise (32-bit and 64-bit versions)
Windows(R) 7 Ultimate (32-bit and 64-bit versions)
 - * To install this product, please login as Administrator or a member of Administrators Group (or as a user having administrative right).
 - * Before beginning the installation, end all applications and turn off any antivirus software.

2. Cautions for Removal

- =====
- * To uninstall Rack2-Filer, log in as the user who installed Rack2-Filer. Administrators privilege is required for the user.
 - * Exit all applications and antivirus software before uninstalling Rack2-Filer.
 - * Before installing a previous version of Rack2-Filer, uninstall the current version from the Windows [Control Panel].

3. Changes in the Service Pack

V5.0L41 is the same as V5.0L30, V5.0L31 or V5.0L40 which have Service Pack 2 applied. The main contents changes are as follows.

- * Corrected the problem of the binder spine turning white when importing data from the Print menu of other applications or Rack2 Folder Monitor Software into Rack2-Filer.
- * Corrected the problem of the default printer printing out if files were inserted from Rack2-Viewer or Rack2 Folder Monitor Software on Windows(R) 7.
- * Corrected the problem of an error occurring when an annotation was added or when [Right Rotated], [Left Rotated], [Pages From File], or [Cycle Pages] is performed if Fullscreen was set in the Window Mode of Rack2-Viewer settings.
- * The following problems for Rack2 Folder Monitor Software have been corrected.
 - Corrected the problem of monitoring the monitored folder for a shorter interval than the Check folder every set in Rack2 Folder Monitor Software.
- * Some of other minor problems have been corrected or improved.

V5.0L40 is the same as V5.0L30 or V5.0L31 which have Service Pack 1 applied. The main contents changes are as follows.

- * Now supported for Windows(R) 7.
- * Now supported for ScanSnap S1300.
- * All set LibRoot folders are displayed in the folder view and binders in the LibRoot folders can be moved or duplicated.
- * Increased the number of sheets that can be managed in the WorkArea at one time for functions such as file import or marked text crop, from 500 to 1000.
- * Fixed the problem that when searching a binder, the keyword information was not correctly searched for.
- * Fixed the problem that when scanning multiple business cards with a flatbed scanner, the business cards scanned first were imported to Rack2-Viewer multiple times.
- * Fixed the problem that pages after the second page could not be viewed when exporting a password protected binder with "Rack2 Binder with embedded Viewer (*.exe)", and then opening it without Rack2-Viewer being installed.
- * Corrected the problem that when a sheet smaller than A4 size was imported to Rack2-Viewer, it was zoomed in when displayed.
- * Corrected the problem that import was not possible when a binder containing sticky notes that was created with a version of Rack2-Filer prior to V5.0, was specified as the Target Binder of Rack2 Folder Monitor Software or the binder to which data is sent from another application.
- * Corrected the problem that in a library with multiple cabinets with long names, changing the background operations failed, and cabinet deletion was not possible.
- * Corrected the problem of the binder not opening when the password-protected binder was edited if the LibRoot folder was set in the network.
- * Some of other minor problems have been corrected or improved.

V5.0L31 is the same as V5.0L30 which have Update Pack 2 applied. The main contents changes are as follows.

- * Corrected the following problems that occur only with Windows(R) 7.
 - Corrected the problem that when "Color" is set in the Preferences for Rack2 ImageWriter, and a document is printed from Rack2-Viewer or the WorkArea, the colors are sometimes inverted.

- Corrected the problem that when a Standard user logs on, files cannot be inserted to Rack2-Viewer or imported to the WorkArea.
- Corrected the problem that when the left and right pages of an open binder are contents pages, there is a delayed response when the edge of a page is clicked.
- * Corrected the issue of an error occurring when the first item in the contents list is moved to an even numbered page in the contents list using the "Paste Contents" operation.
- * Corrected the issue of excessive time delay between the time when the [Scanner] button in the Rack2-Viewer window is clicked and when the scan actually starts (or TWAIN driver window appears) during document scanning using a FUJITSU fi series scanner with TWAIN driver.

4. Cautions for Use

- * When setting a LibRoot folder in the network folder and sharing the data, the font specified as the binder title may not be displayed correctly if the client computer does not have the required font.
- * Rack2-Filer may not operate correctly under virtual environments such as remote desktop.
- * Do not log off or shutdown while an operation is being processed in the WorkArea.
- * If the characters on the screen for Windows are set to be zoomed in, some of the Rack2-Filer screens may not be shown correctly with the resolution other than 1024 x 768. In this situation, set the size of the characters to the standard setting.
- * Environment dependant characters (unicode) are not supported. Do not use environment dependant characters (unicode) for the installation folder, user names, folder names, and other string variables.
- * PDF files created with ScanSnap on a Mac OS cannot be used as "Data scanned with ScanSnap" in Rack2-Filer. For this reason, functions for "Data scanned with ScanSnap", such as "Crop marked section" and "Output to Office", cannot be used with imported pages of these types of PDF files.

Microsoft, Windows, and Windows Vista are either trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Other company names and product names are the trademarks or registered trademarks of the respective companies.

All Rights Reserved, Copyright(C) PFU LIMITED 2006-2010