


VRS 4.5 for Fujitsu scanner (PFU OEM Bundle) Patch Notes (For fi-4860C2/5900C/6670A/6770A)

1. The usage of VRS4.5 Patch


(a) VRS4.5 Patch file name : vrs_4.5_pfucga_oem_bundle.exe

(b) How to install



- Log in as Administrator.
- Locate the downloaded VRS4.5 file onto Desktop and execute the file. After the execution of the file a new folder (VRS4.5_HVRS) will be created in Desktop.
- Execute setup.exe from the new folder and start up the installer (make sure beforehand that VRS is not operating).
 - * Refer to “2. Precautions” when installing VRS from Vista Enterprise/Business.
- Follow instructions from the installer window and proceed.
- Select a scanner from the list when the windows below appear.





- As the following window appears, click on “Install” and begin the installation.



- When the following window is displayed, click on “Finish”. Then click on “Yes” to restart the system.




- After restarting the system, select “Skip Registration” and click on “Yes”. Also click on “Close” when the VRS Updater Manager window is displayed.




(c) How to confirm the version

- Start up VRS and select [Help] - [About VRS] from VirtualReScan Interactive Viewer.



- Version description : The version description will be changed to “4.50.032.99 PFUCGA”.



(VRS 4.2 PFU OEM Bundle)




(VRS 4.5 PFU OEM Bundle)

2. Precautions

When uninstalling VRS from Windows Vista Enterprise/Vista Business environment, you need to disable the User Account Control setting before uninstalling. Please disable it by the following procedures.

- Open "User Accounts" from "Control Panel".
- Select "Turn User Account Control on or off".
- Untick the "Use User Account Control (UAC) to help protect your computer" box.
- Restart your PC.



(Above: User Account Control setting disabled)

3. Known Problems

If you upgrade your VRS 4.1 SP2 installation to VRS 4.5, a scanner reservation error may occur with USB connection.

Workaround :

1. Use another USB port.
2. Uninstall "Kofax Fujitsu USB Device" and then install again.

