

## Environmental Performance Data


In order to conserve the environment surrounding our sites and comply with the regulations, we perform ongoing management of our facilities, as well as properly manage chemical substances to prevent pollution.

Also, we regularly monitor the environmental impact of our sites by assessing the actual amount of greenhouse gases, waste materials, and water resources emitted/used in our business operations.

### Energy Consumption

#### Total Amount of Greenhouse Gas (GHG) Emissions (Scope 1, Scope 2)

The amount of greenhouse gas emissions from all our sites in Japan is converted to a CO<sub>2</sub> equivalent weight as shown below.



The above greenhouse gas emissions amount (t-CO<sub>2</sub>) is calculated by taking the total of the WRI/WBCSD GHG Protocol Scope 1 and Scope 2 emission amounts.

[Conversion factor] Purchased electricity: Uses each electric company's conversion factor for the Act on the Rational Use of Energy report  
 Liquefied petroleum gas: 6.527 tons of CO<sub>2</sub>/1,000 m<sup>3</sup>,  
 town gas: 2.05 tons of CO<sub>2</sub>/1,000 m<sup>3</sup>,  
 heat: 0.0468 tons of CO<sub>2</sub>/GJ, gasoline: 2.29 tons of CO<sub>2</sub>/kL,  
 light oil: 2.62 tons of CO<sub>2</sub>/kL, kerosene: 2.5 tons of CO<sub>2</sub>/kL

|                                                      | Fiscal 2015<br>Reference<br>year | Fiscal 2023 | Fiscal 2024 | Fiscal 2025 |
|------------------------------------------------------|----------------------------------|-------------|-------------|-------------|
| Scope 1 + Scope 2 (t-CO <sub>2</sub> )               | 8,746                            | 5,126       | 2,059       | 1,940       |
| Emission intensity (t-CO <sub>2</sub> /working days) | 36.14                            | 21.63       | 8.62        | 8.15        |

### Electricity Consumption

The amounts of electricity consumption at our main sites in Japan are shown below.

|                        | Unit | Fiscal 2015<br>Reference<br>year | Fiscal 2023 | Fiscal 2024 | Fiscal 2025 |
|------------------------|------|----------------------------------|-------------|-------------|-------------|
| Total electricity      | MWh  | 13,636                           | 11,119      | 10,441      | 10,063      |
| Renewable electricity  | MWh  | 0                                | 2,211       | 7,524       | 7,284       |
| Renewable energy ratio | %    | 0.0                              | 19.9        | 72.1        | 72.4        |

### Total Amount of Greenhouse Gas (GHG) Emissions (Scope 3)

The amount of greenhouse gas emissions is converted to a CO<sub>2</sub> equivalent weight as shown below. Starting in fiscal year 2024, the calculation method for scanner products under Category 11 has been updated to utilize application data from the EcoLeaf Environmental Label.


| Category    | Category Name                                                          | Amount of Emission (t-CO <sub>2</sub> ) |                |                |                | Ratio of amount for each category to entire amount for Scope 3 in fiscal 2025 (%) |
|-------------|------------------------------------------------------------------------|-----------------------------------------|----------------|----------------|----------------|-----------------------------------------------------------------------------------|
|             |                                                                        | Fiscal 2015 Reference year              | Fiscal 2023    | Fiscal 2024    | Fiscal 2025    |                                                                                   |
| Category 1  | Purchased goods and services                                           | 97,558.8                                | 42,201.9       | 39,047.1       | 31,575.7       | 50.7                                                                              |
| Category 2  | Capital goods                                                          | 4,580.3                                 | 12,889.9       | 3,174.9        | 4,688.5        | 7.5                                                                               |
| Category 3  | Fuel- and energy-related activities not included in Scope 1 or Scope 2 | 5,331.4                                 | 4,210.2        | 4,271.2        | 3,475.6        | 5.6                                                                               |
| Category 4  | Upstream transportation and distribution                               | 611.7                                   | 467.0          | 455.6          | 847.4          | 1.4                                                                               |
| Category 5  | Waste generated in operations                                          | 62.1                                    | 41.3           | 88.4           | 128.2          | 0.2                                                                               |
| Category 6  | Business travel                                                        | 991.5                                   | 893.2          | 899.5          | 927.9          | 1.5                                                                               |
| Category 7  | Employee commuting                                                     | 3,997.2                                 | 2,653.7        | 702.0          | 671.1          | 1.1                                                                               |
| Category 8  | Upstream leased assets                                                 | Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable                                                                    |
| Category 9  | Downstream transportation and distribution                             | Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable                                                                    |
| Category 10 | Processing of sold products                                            | Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable                                                                    |
| Category 11 | Use of sold products                                                   | 10,154.0                                | 5,833.0        | 21,740.0       | 19,933.9       | 32.0                                                                              |
| Category 12 | End-of-life treatment of sold products                                 | Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable                                                                    |
| Category 13 | Downstream leased assets                                               | Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable                                                                    |
| Category 14 | Franchises                                                             | Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable                                                                    |
| Category 15 | Investments                                                            | Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable                                                                    |
| Total       |                                                                        | 123,287.0                               | 69,190.2       | 70,378.7       | 62,248.4       | 100.0                                                                             |

## Amount of Waste

The total amount of waste generated at our business sites is as follows. We promote effective utilization through heat recovery, recycling, and other means at all office and factory sites.

We set a goal for 5% or more reduction in the amount of waste, down to 527 tons or less from the 555 ton average of fiscal years 2012 to 2014.

Although the amount of waste generated increased compared with fiscal 2024 due to the return of the east side of the 9th floor at Yokohama Headquarters, the relocation of PFU Quality Service Limited's headquarters, and the disposal of unnecessary items associated with support for large-scale business negotiations, the fiscal 2025 result was 406 tons, a reduction of 27%, achieving the target.




|                                                      |                               | (tons)      |             |             |             |             |
|------------------------------------------------------|-------------------------------|-------------|-------------|-------------|-------------|-------------|
| Emissions                                            |                               | Fiscal 2021 | Fiscal 2022 | Fiscal 2023 | Fiscal 2024 | Fiscal 2025 |
|                                                      | Final waste disposal amount   | 0           | 8           | 2           | 6           | 7           |
|                                                      | Waste converted to fertilizer | 10          | 10          | 9           | 0           | 0           |
|                                                      | Waste recovered by heat       | 143         | 155         | 135         | 51          | 50          |
|                                                      | Recycled waste                | 208         | 132         | 144         | 179         | 349         |
| Waste generation amount                              |                               | 361         | 304         | 291         | 236         | 406         |
| Valuable resource amount                             |                               | 188         | 156         | 308         | 130         | 142         |
| Total emissions (waste generation+valuable resource) |                               | 549         | 460         | 599         | 367         | 548         |

## Water Consumption/Water Drainage

The amount of water consumption and water drainage for our main sites in Japan is shown below.

### ■ Water Consumption Amount




At each site, we use tap water for domestic use and to humidify the office in winter. At our Headquarters, we use ground water to water our plants in summer, and at our Headquarters and the ProDeS Center, we use ground water to melt snow. We use water for our every day needs at our company sites, not for industrial purposes.

For our total water consumption amount, we set a target to reduce it by 1% or more to an amount of 35,600 m³ or less compared to the reference year of 2018.

In fiscal 2025, due to heavy snowfall, the use of groundwater for snow melting increased. As a result, water consumption was 44,000 m³, an increase of 23%, and the target was not achieved.

Our water is used for everyday purposes. We do not have any water that can be reused or recycled.

### ■ Water Drainage Amount



Tap water used for domestic uses drains into the sewer. Ground water used to melt snow drains into the rivers, and water used to water plants drains underground. We have been continuously monitoring and measuring water quality by using our own self management values in order to ensure the quality of water that drains from our main sites.

In fiscal 2025, heavy snowfall led to an increase in groundwater use for snow melting, resulting in an increase in the amount of water discharged into rivers.

|                                                | Fiscal 2021 | Fiscal 2022 | Fiscal 2023 | Fiscal 2024 | Fiscal 2025 |
|------------------------------------------------|-------------|-------------|-------------|-------------|-------------|
| Water Consumption and Water Drainage (1,000m³) | 34          | 38          | 27          | 32          | 44          |
| Emission intensity (1,000m³/working days)      | 0.14        | 0.16        | 0.12        | 0.13        | 0.18        |

## Results in Handling of Chemical Substances

We calculate the annual handled amount (\*6) of chemical substances used in design and development, evaluation, manufacturing, maintenance, on-site cleaning, and other activities, regardless of the quantity handled.

(\*6) The handled amount is the total of the amount used and the amount disposed of.

### ■ Chemical Substances Subject to PRTR Law

The amount of chemical substances subject to the PRTR law that were handled in fiscal 2025 is shown below. None of the chemical substances were in excess of the annual values which require the relevant prefectural authorities to be notified (\*7).

We set a goal to limit the amount we handle to less than the average of fiscal years 2012 to 2014, which was 0.132 tons. The fiscal 2025 result was 0.137 tons, an increase of 3.8%.

#### Annual Handled Amount of Chemical Substances Subject to the PRTR Law (Class I Specified Chemical Substances)

(Tons)

| Chemical Substance Name                   | Fiscal 2021    | Fiscal 2022    | Fiscal 2023 | Fiscal 2024 | Fiscal 2025 |
|-------------------------------------------|----------------|----------------|-------------|-------------|-------------|
| n-Alkylbenzenesulfonic acid and its salts | 0.031          | 0.031          | 0.036       | 0.034       | 0.032       |
| 2-aminoethanol                            | 0.025          | 0.019          | 0.025       | 0.027       | 0.024       |
| Poly(oxyethylene) alkyl ether             | 0.021          | 0.023          | 0.026       | 0.019       | 0.017       |
| N,N-Bis(2-hydroxyethyl)alkanamide (*8)    | Not applicable | Not applicable | 0.017       | 0.017       | 0.016       |
| Silver and its water-soluble compounds    | 0.022          | 0.019          | 0.012       | 0.013       | 0.013       |
| Lead and its compounds                    | 0.000          | 0.000          | 0.000       | 0.012       | 0.000       |
| Other                                     | 0.008          | 0.007          | 0.023       | 0.043       | 0.035       |
| Total                                     | 0.107          | 0.098          | 0.140       | 0.165       | 0.137       |

\*7: 1 ton or more per year for Class I Specified Chemical Substances, 0.5 tons or more per year for Special Class I Specified Chemical Substances.

\*8: Added as a target chemical substance due to enforcement of PRTR Law revision in April 2023.

### ■ VOC (Volatile Organic Compound)

Although there are no specific facilities that are subject to VOC emission control, we make an independent effort to maintain and manage the amount of VOCs handled.

We set a goal to limit the amount we handle to less than the average of fiscal years 2012 to 2014, which was 1.266 tons. In fiscal 2025, due to the relocation of PFU Quality Service Limited's headquarters and other factors, ethanol use for disinfecting cooking utensils decreased by 0.08 tons. Overall, the result was 0.746 tons, a decrease of 41.1%, achieving the target.

#### Annual Amount of VOC Handled

(Tons)

| Chemical Substance Name | Fiscal 2021 | Fiscal 2022 | Fiscal 2023 | Fiscal 2024 | Fiscal 2025 |
|-------------------------|-------------|-------------|-------------|-------------|-------------|
| Ethanol                 | 0.053       | 0.052       | 0.110       | 0.484       | 0.381       |
| Isopropyl alcohol       | 0.809       | 0.465       | 0.360       | 0.346       | 0.294       |
| Butyl acetate           | 0.058       | 0.074       | 0.040       | 0.046       | 0.064       |
| Other                   | 0.018       | 0.023       | 0.014       | 0.028       | 0.008       |
| Total                   | 0.938       | 0.614       | 0.524       | 0.905       | 0.746       |

## ■ Greenhouse Gases

The amounts of greenhouse gases handled by PFU in fiscal 2025 are as follows. When the annual handled amount for fiscal 2025 is converted into carbon dioxide equivalent, it corresponds to approximately 0.009 tons of CO<sub>2</sub>.

The handled amount decreased significantly as a result of the disposal of unnecessary chemical substances in fiscal 2024.

Our reduction target for the amount (tons) of greenhouse gas emissions handled applies to reduction at all our sites.

### Annual amount of greenhouse gases handled (Converted to CO<sub>2</sub>)

(Tons)

| Chemical Substance Name              | Fiscal 2021 | Fiscal 2022 | Fiscal 2023 | Fiscal 2024 | Fiscal 2025 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|
| 1,1,1,2-tetrafluoroethane (HFC-134a) | 7.061       | 6.155       | 4.119       | 7.669       | 0.006       |
| CO <sub>2</sub>                      | 0.000       | 0.000       | 0.020       | 0.005       | 0.002       |
| 1,1-Difluoroethane (HFC-152a)        | 0.059       | 0.233       | 0.107       | -           | -           |
| Total                                | 7.120       | 6.388       | 4.247       | 7.674       | 0.009       |

## Compliance with All Environmental Laws and Regulations.

In order to conserve the environment surrounding our sites and comply with laws and regulations, we will regularly measure water quality, noise output, and vibration output.

### Water Quality Measurement Results

We make efforts to maintain the water quality of drainage from Headquarters, the ProDeS Center, and the PFU Techno Wise Takamatsu Warehouse. The results of the measurement did not exceed the legal regulations, and there was no problem with water quality.

|                                                              | Regulated substances                                             | Unit | Regulation value | Fiscal 2025 measured value | Evaluation |
|--------------------------------------------------------------|------------------------------------------------------------------|------|------------------|----------------------------|------------|
| Headquarters<br>(Bld. A & B)                                 | Hydrogen ion concentration (pH)                                  | -    | Between 5 & 9    | 8.0                        | ✓          |
|                                                              | Biochemical oxygen demand (BOD)                                  | mg/L | Less than 600    | 96                         |            |
|                                                              | Suspended substances (SS)                                        | mg/L | Less than 600    | 120                        |            |
|                                                              | Mineral oil content                                              | mg/L | 5 or less        | Less than 0.5              |            |
|                                                              | Animal and vegetable oil/fat content                             | mg/L | 30 or less       | 4.8                        |            |
|                                                              | Ammonium-nitrogen, nitrite-nitrogen and nitrate-nitrogen content | mg/L | Less than 380    | 12                         |            |
| Headquarters<br>(Anechoic Chamber)                           | Hydrogen ion concentration (pH)                                  | -    | Between 5 & 9    | 7.4                        | ✓          |
|                                                              | Biochemical oxygen demand (BOD)                                  | mg/L | Less than 600    | 10                         |            |
|                                                              | Suspended substances (SS)                                        | mg/L | Less than 600    | 22                         |            |
|                                                              | Mineral oil content                                              | mg/L | 5 or less        | Less than 0.5              |            |
|                                                              | Animal and vegetable oil/fat content                             | mg/L | 30 or less       | 0.8                        |            |
|                                                              | Ammonium-nitrogen, nitrite-nitrogen and nitrate-nitrogen content | mg/L | Less than 380    | 4                          |            |
| ProDeS<br>Center                                             | Hydrogen ion concentration (pH)                                  | -    | Between 5 & 9    | 8.3                        | ✓          |
|                                                              | Biochemical oxygen demand (BOD)                                  | mg/L | Less than 600    | 180                        |            |
|                                                              | Suspended substances (SS)                                        | mg/L | Less than 600    | 280                        |            |
|                                                              | Mineral oil content                                              | mg/L | 5 or less        | Less than 0.5              |            |
|                                                              | Animal and vegetable oil/fat content                             | mg/L | 30 or less       | 20                         |            |
|                                                              | Ammonium-nitrogen, nitrite-nitrogen and nitrate-nitrogen content | mg/L | Less than 380    | 23                         |            |
| PFU Techno<br>Wise<br>Takamatsu<br>Warehouse<br>(Bld. 2 & 3) | Hydrogen ion concentration (pH)                                  | -    | Between 5 & 9    | 7.2                        | ✓          |
|                                                              | Biochemical oxygen demand (BOD)                                  | mg/L | Less than 600    | 1                          |            |
|                                                              | Suspended substances (SS)                                        | mg/L | Less than 600    | Less than 1                |            |
|                                                              | Mineral oil content                                              | mg/L | 5 or less        | Less than 1                |            |
|                                                              | Animal and vegetable oil/fat content                             | mg/L | 30 or less       | Less than 1                |            |
|                                                              | Ammonium-nitrogen, nitrite-nitrogen and nitrate-nitrogen content | mg/L | Less than 380    | 0.9                        |            |

## ■ Noise/Vibration Measurement

At our headquarters, we regularly measure the noise and vibration generated by our business activities (once every five years).

We performed measurements on May 23, 2025, and confirmed that all values did not exceed the legal regulations (next measurement planned for fiscal 2030).

### Noise Measurement Results

|              | Noise     | Unit | Regulation value | Fiscal 2025 measured value |                       |                             |                        | Evaluation |
|--------------|-----------|------|------------------|----------------------------|-----------------------|-----------------------------|------------------------|------------|
|              |           |      |                  | Bld. E north side          | Bld. A southwest side | Anechoic chamber north side | South side parking lot |            |
| Headquarters | Daytime   | dB   | 65 or less       | 44                         | 46                    | 47                          | -                      | ✓          |
|              | Morning   | dB   | 60 or less       | 44                         | 46                    | 47                          | -                      |            |
|              | Evening   | dB   | 60 or less       | 44                         | 46                    | 47                          | -                      |            |
|              | Nighttime | dB   | 50 or less       | 44                         | 46                    | 47                          | -                      |            |
|              | Daytime   | dB   | 60 or less (*9)  | -                          | -                     | -                           | 45                     |            |
|              | Morning   | dB   | 55 or less (*9)  | -                          | -                     | -                           | 45                     |            |
|              | Evening   | dB   | 55 or less (*9)  | -                          | -                     | -                           | 45                     |            |
|              | Nighttime | dB   | 45 or less (*9)  | -                          | -                     | -                           | 45                     |            |

(\*9): Because the parking lot is in an area within 50m of the borders of school grounds, the legal regulations are five decibels lower.

### Vibration Measurement Results

|              | Vibration | Unit | Regulation value | Fiscal 2025 measured value |                       |                             |                        | Evaluation |
|--------------|-----------|------|------------------|----------------------------|-----------------------|-----------------------------|------------------------|------------|
|              |           |      |                  | Bld. E north side          | Bld. A southwest side | Anechoic chamber north side | South side parking lot |            |
| Headquarters | Daytime   | dB   | 65 or less       | 32                         | 34                    | 29                          | -                      | ✓          |
|              | Nighttime | dB   | 50 or less       | 32                         | 34                    | 29                          | -                      |            |
|              | Daytime   | dB   | 60 or less (*10) | -                          | -                     | -                           | 33                     |            |
|              | Nighttime | dB   | 45 or less (*10) | -                          | -                     | -                           | 33                     |            |

(\*10): Because the parking lot is in an area within 50m of the borders of school grounds, the legal regulations are five decibels lower.